

# **ZEP EXTRACTO 12-1L**

Version 1.0 Revision Date 01/31/2017 Print Date 10/04/2017

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP EXTRACTO 12-1L

Material number : 469101C

### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street

Edmonton, Alberta T5S 1N6

Canada

Telephone : 404-352-1680

# **Emergency telephone numbers**

For SDS Information : Compliance Services 1-877-428-9937

For a Medical Emergency : 877-541-2016 Toll Free - All Calls Recorded
For a Transportation : CHEMTREC: 800-424-9300 - All Calls Recorded.

**Emergency** 

#### Recommended use of the chemical and restrictions on use

Recommended use : Carpet Care

#### **SECTION 2. HAZARDS IDENTIFICATION**

# **Emergency Overview**

| Appearance | liquid         |
|------------|----------------|
| Colour     | colourless     |
| Odour      | characteristic |

### **GHS Classification**

Skin irritation : Category 2 Eye irritation : Category 2A

#### **GHS** label elements

Hazard pictograms

Signal word : Warning

Hazard statements : H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.





Version 1.0 Revision Date 01/31/2017 Print Date 10/04/2017

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### **Hazardous components**

| Chemical name  | CAS-No.                | Concentration [%] |
|--|------------------------|-------------------|
| tetrapotassium pyrophosphate                         | 7320-34-5 >= 10 - < 20 |                   |
| (2-methoxymethylethoxy)propanol (Mixture of isomers) | 34590-94-8             | >= 1 - < 5        |
| sodium xylenesulphonate                              | 1300-72-7              | >= 1 - < 5        |

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If unconscious place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

Wash off immediately with plenty of water for at least 15

minutes.

Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

DO NOT induce vomiting unless directed to do so by a

physician or poison control center.



# **ZEP EXTRACTO 12-1L**

Version 1.0 Revision Date 01/31/2017 Print Date 10/04/2017

Most important symptoms and effects, both acute and

contact time).

delayed E

Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash.

Causes skin irritation.

Causes serious eye irritation.

Review section 2 of SDS to see all potential hazards.

: Effects are dependent on exposure (dose, concentration,

Notes to physician : Treat symptomatically. Symptoms may be delayed.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Carbon dioxide (CO2)

Carbon monoxide

Smoke

Sulphur oxides

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Environmental precautions : Use personal protective equipment.

: Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.



# **ZEP EXTRACTO 12-1L**

Version 1.0 Revision Date 01/31/2017 Print Date 10/04/2017

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Do not store near acids.

Oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| Components                  | CAS-No.    | Value type | Control       | Basis     |
|-----------------------------|------------|------------|---------------|-----------|
| Components                  | CAS-No.    | (Form of   | parameters /  | Dasis     |
|                             |            | exposure)  | Permissible   |           |
|                             |            | -          | concentration |           |
| (2-                         | 34590-94-8 | TWA        | 100 ppm       | CA AB OEL |
| methoxymethylethoxy)propano |            |            | 606 mg/m3     |           |
| I (Mixture of isomers)      |            |            |               |           |
|                             |            | STEL       | 150 ppm       | CA AB OEL |
|                             |            |            | 909 mg/m3     |           |
|                             |            | TWA        | 100 ppm       | CA BC OEL |
|                             |            | STEL       | 150 ppm       | CA BC OEL |
|                             |            | TWAEV      | 100 ppm       | CA QC OEL |
|                             |            |            | 606 mg/m3     |           |
|                             |            | STEV       | 150 ppm       | CA QC OEL |
|                             |            |            | 909 mg/m3     |           |
|                             |            | TWA        | 100 ppm       | ACGIH     |
|                             |            | STEL       | 150 ppm       | ACGIH     |
|                             |            | ST         | 150 ppm       | NIOSH REL |
|                             |            |            | 900 mg/m3     |           |
|                             |            | TWA        | 100 ppm       | NIOSH REL |
|                             |            |            | 600 mg/m3     |           |
|                             |            | TWA        | 100 ppm       | OSHA Z-1  |
|                             |            |            | 600 mg/m3     |           |
|                             |            | TWA        | 100 ppm       | OSHA P0   |
|                             |            | <u> </u>   | 600 mg/m3     |           |
|                             |            | STEL       | 150 ppm       | OSHA P0   |
|                             |            | 0.751      | 900 mg/m3     | OAL DEL   |
|                             |            | STEL       | 150 ppm       | CAL PEL   |
|                             |            | 551        | 900 mg/m3     | OAL DEL   |
|                             |            | PEL        | 100 ppm       | CAL PEL   |
|                             |            |            | 600 mg/m3     |           |

**Engineering measures** : effective ventilation in all processing areas





Version 1.0 Revision Date 01/31/2017 Print Date 10/04/2017

### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Safety glasses

Ensure that eyewash stations and safety showers are close to

the workstation location.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless
Odour : characteristic
Odour Threshold : No data available

pH : 9 - 10.5

Melting point/freezing point : No data available

Boiling point : 100 °C

Flash point

No data available

Evaporation rate : No data available
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapour pressure : No data available
Relative vapour density : No data available
Density : 1.145 g/cm3

Bulk density : No data available

Solubility(ies)

Water solubility : soluble
Solubility in other solvents : soluble

# **ZEP EXTRACTO 12-1L**



Version 1.0 Revision Date 01/31/2017 Print Date 10/04/2017

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available
Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available Viscosity, kinematic : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Acids

Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

**Potential Health Effects** 

Aggravated Medical

Condition

: None known.

Symptoms of Overexposure : Effects are dependent on exposure (dose, concentration,

contact time).

Effects are immediate and delayed.

Symptoms may include irritation, redness, pain, and rash.

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

Acute toxicity

No data available

Skin corrosion/irritation

**Product:** 

Remarks: Irritating to skin.

# **ZEP EXTRACTO 12-1L**



Version 1.0 Revision Date 01/31/2017 Print Date 10/04/2017

### Serious eye damage/eye irritation

### **Product:**

Remarks: Irritating to eyes.

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

tetrapotassium pyrophosphate:

(2-methoxymethylethoxy)propanol (Mixture of isomers):

sodium xylenesulphonate:

#### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### **Further information**

### **Product:**

Remarks: No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

No data available

#### Persistence and degradability

No data available

### Bioaccumulative potential

#### **Product:**

Partition coefficient: n- : Remarks: No data available

octanol/water Components:

(2-methoxymethylethoxy)propanol (Mixture of isomers) :

Partition coefficient: n- : Pow: 0.0043



# **ZEP EXTRACTO 12-1L**

Version 1.0 Revision Date 01/31/2017 Print Date 10/04/2017

octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

**Product:** 

Additional ecological

information

: No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

# **ZEP EXTRACTO 12-1L**



Version 1.0 Revision Date 01/31/2017 Print Date 10/04/2017

#### **SECTION 15. REGULATORY INFORMATION**

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

TSCA On TSCA Inventory

DSL All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### **Inventory Acronym and Validity Area Legend:**

TSCA (USA), DSL (Canada), NDSL (Canada)

### **SECTION 16. OTHER INFORMATION**

WHMIS - GHS Label Information:

Hazard pictograms

Signal word Hazard statements Precautionary statements Warning:

Causes skin irritation. Causes serious eye irritation.

**Prevention:** Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.

**Response:** IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

| Version:       | 1.0        |
|----------------|------------|
| Revision Date: | 01/31/2017 |
| Print Date:    | 10/04/2017 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes.



# **ZEP EXTRACTO 12-1L**

Version 1.0 Revision Date 01/31/2017 Print Date 10/04/2017

This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.