

Version 1.0

Revision Date 01/17/2017

Print Date 10/04/2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP FS PROCESS CLEANER 4-4L PF

Material number : 294054C

Manufacturer or supplier's details

Company	:	Zep Inc.
Address	:	11627 - 178 Street Edmonton, Alberta T5S 1N6 Canada
Telephone	:	404-352-1680

Emergency telephone numbers				
For SDS Information	•	Compliance Services 1-877-428-9937		

For SDS Information		Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		

Recommended use of the chemical and restrictions on use

Recommended use : Food and Beverage Facility Maintenance

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

• •	
Appearance	liquid
Colour	clear, green
Odour	mild
GHS Classification	
Skin corrosion	: Category 1
Serious eye damage	: Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.



Version 1.0	Revision Date 01/17/2017	Print Date 10/04/2017
	Response:	

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.
Storage: P405 Store locked up.

Disposal:

Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	68439-57-6	>= 5 - < 10
Sodium metasilicate (disodium salt)	6834-92-0	>= 1 - < 5
sodium hydroxide	1310-73-2	>= 1 - < 5
Sodium polyacrylate	9003-04-7	>= 1 - < 5
sodium xylenesulphonate	1300-72-7	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.



Version 1.0	Revision Date 01/17/2017	Print Date 10/04/2017
	Continue rinsing eyes during tra Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsir If eye irritation persists, consult	ng.
If swallowed	: Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic bev Never give anything by mouth to If symptoms persist, call a phys Take victim immediately to hosp	o an unconscious person. ician.
Most important symptoms and effects, both acute and delayed	: Effects are immediate and delay Symptoms may include blisterin Effects are dependent on exposision contact time). Causes severe skin burns and e Review section 2 of SDS to see	g, irritation, burns, and pain. sure (dose, concentration, eye damage.
Notes to physician	: Treat symptomatically. Sympto	ms may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Sulphur oxides Smoke
Specific extinguishing methods	:	
Further information	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.



Version 1.0	Revision Date 01/17/2017	Print Date 10/04/2017

Neutralise with acid.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
3

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Oxidizing agents Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sodium hydroxide	1310-73-2	(C)	2 mg/m3	CA AB OEL
		С	2 mg/m3	CA BC OEL
		С	2 mg/m3	CA QC OEL
		С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0
		С	2 mg/m3	CAL PEL

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.

Hand protection						
Remarks	:	Impervious	gloves	The	suitability for	a specific workplace



Version 1.0	Revision Date 01/17/2017	Print Date 10/04/2017
	should be discussed with the produces.	ucers of the protective
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective su problems.	uit for abnormal processing
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous su	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, green
Odour	: mild
Odour Threshold	: No data available
рН	: 13.0 - 13.5
Boiling point	: 104.44 °C
Flash point	:
	does not flash
Evaporation rate	: 1
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1.109 g/cm3
Solubility(ies)	
Water solubility	: soluble in cold water, soluble in hot water
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: 6.1 mm2/s (20 °C)



Version 1.0

Revision Date 01/17/2017

Print Date 10/04/2017

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Strong oxidizing agents Metals Acids Reducing agents
Hazardous decomposition products	:	Carbon oxides Sulphur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects Aggravated Medical Condition	: None known.
Symptoms of Overexposure	: Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time).
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
Sodium metasilicate (disodi	um salt):
Acute oral toxicity	
sodium hydroxide: Acute dermal toxicity	: Acute toxicity estimate Rabbit: 1,350 mg/kg
Skin corrosion/irritation	
Product:	

Remarks: Extremely corrosive and destructive to tissue.



Version 1.0

Revision Date 01/17/2017

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts: Sodium metasilicate (disodium salt): sodium hydroxide: Sodium polyacrylate: sodium xylenesulphonate:

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- : Remarks: No data available octanol/water



Version 1.0Revision Date 01/17/2017Print Date 10/04/2017

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Additional ecological information

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues :	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging :	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): UN1760, CORROSIVE LIQUID, N.O.S., (SODIUM METASILICATE, POTASSIUM HYDROXIDE), 8, II

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): UN1760, CORROSIVE LIQUID, N.O.S., (SODIUM METASILICATE, POTASSIUM HYDROXIDE), 8, II

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): UN1760, Corrosive liquid, n.o.s., (SODIUM METASILICATE, POTASSIUM HYDROXIDE), 8, II

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): UN1760, Corrosive liquid, n.o.s., (SODIUM METASILICATE, POTASSIUM HYDROXIDE), 8, II

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): UN1760, Corrosive liquids, n.o.s., (SODIUM METASILICATE, POTASSIUM HYDROXIDE), 8, II

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION



Version 1.0

Revision Date 01/17/2017

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

WHMIS - GHS Label Information:

Hazard pictograms

Signal word Danger: Hazard statements Causes severe skin burns and eye damage. Precautionary statements Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse. Storage: Store locked up. **Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	1.0
Revision Date:	01/17/2017
Print Date:	10/04/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next



Version 1.0

Revision Date 01/17/2017

Print Date 10/04/2017

Dimension[™], Petro[®], i-Chem[®], TimeMist[®], TimeWick[™], MicrobeMax[®], Country Vet[®], Konk[®], Original Bike Spirits[®], Blue Coral[®], Black Magic[®], Rain-X[®], Niagara National[™], FC Forward Chemicals[®], Rexodan[®], Mykal[™], and a number of private labeled brands.