



### 1 Identification

- **Product name:** **IMPACT Floor Stripper**
- **Article number:** 2360278001, 2360334001
- **Recommended use:**  
Paint remover  
Floor stripper
- **Restrictions on use:** All other uses than those indicated on the product label and technical data sheet
- **Manufacturer:**  
Avmor LTD  
950, Michelin  
Laval, QC, H7L 5C1  
Canada  
1-800-387-8074  
www.avmor.com
- **Emergency telephone number:** CANUTEC 1-613-996-6666

### 2 Hazard identification

- **Classification of the product as sold:**  
Skin Corr. 1C H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.  
STOT SE 3 H335 May cause respiratory irritation.
- **Label elements**
- **Hazard pictograms:**  
  
GHS05 GHS07
- **Signal word:** Danger
- **Hazard statements:**  
Causes severe skin burns and eye damage.  
May cause respiratory irritation.
- **Precautionary statements:**  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Wash thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

**Product name: IMPACT Floor Stripper**

(Contd. of page 1)

Immediately call a POISON CENTER or a doctor.

Wash contaminated clothing before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents and container in accordance with local, regional and national regulations.

- **Classification system**
- **NFPA ratings (scale 0 - 4):**



Health = 2

Fire = 0

Reactivity = 0

- **Hazard not otherwise classified:** None Known
- **Notes:** For the wording of the listed abbreviations refer to section 16.

- **Product AT USE DILUTION:** N/A

**3 Composition/Information on ingredients**

- **Chemical characterization:** Mixtures
- **Description:** Aqueous mixture consisting of the following components:

· <b>Components:</b>		
34590-94-8	(2-methoxymethylethoxy)propanol	10-30%
141-43-5	2-Aminoethanol	10-30%
100-51-6	Benzyl Alcohol	10-30%
61790-12-3	Fatty Acids and Tall Oil	1-5%

- **Additional information:** Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**4 First aid measures**

- **Description of first aid measures**
- **After inhalation:**  
In case of unconsciousness place patient stably in side position for transportation. Get medical attention.
- **After skin contact:**  
Remove immediately all contaminated clothing. Rinse skin with water or shower for at least 15 minutes. Consult a doctor if skin redness and irritation persist.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. Remove contact lenses, if present and easy to do so. Continue rinsing for a minimum of 15 to 60 minutes. Then consult a doctor.
- **After ingestion:**  
Drink copious amounts of water and provide fresh air. Immediately call a doctor. Do not induce vomiting.
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

**5 Firefighting measures**

- **Suitable extinguishing media:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.  
Use fire fighting measures that suit the environment.
- **Specific hazards arising from the product:** During heating or in case of fire poisonous gases are produced.
- **Special protective equipment and precautions for fire-fighters:**  
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

(Contd. on page 3)

**Product name: IMPACT Floor Stripper**

(Contd. of page 2)

- **Additional information:** This product is not flammable.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures:**

Mount respiratory protective device.

Wear recommended protective equipment(s). Keep unprotected persons away.

Protective gloves (See Protection of Hands)

Ventilate area of leak or spill. Remove all sources of ignition. Clean-up personnel require protective clothing and respiratory protection from organic vapors.

- **Environmental precautions:** No special measures required.

- **Methods and material for containment and cleaning up:**

Surround and absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent (eg. food vinegar (5% acetic acid), citric acid, sodium bicarbonate in excess)

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**7 Handling and storage**

- **Precautions for safe handling:** Ensure good ventilation at the workplace.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Conditions for safe storage, including any incompatibilities:**  
Keep in the original receptacle tightly sealed.  
Store under lock and key and out of the reach of children.
- **Specific end use(s):** No further relevant information available.

**8 Exposure controls/ Personal protection**

- **Components with limit values that require monitoring at the workplace:**

**34590-94-8 (2-methoxymethylethoxy)propanol**

EL	Short-term value: 150 ppm
	Long-term value: 100 ppm
	Skin
EV	Short-term value: 910 mg/m <sup>3</sup> , 150 ppm
	Long-term value: 605 mg/m <sup>3</sup> , 100 ppm
<b>141-43-5 2-Aminoethanol</b>	
EL	Short-term value: 6 ppm
	Long-term value: 3 ppm
EV	Short-term value: 15 mg/m <sup>3</sup> , 6 ppm
	Long-term value: 7.5 mg/m <sup>3</sup> , 3 ppm

(Contd. on page 4)

**Product name: IMPACT Floor Stripper**

(Contd. of page 3)

- **Undiluted Product**
- **Personal protective equipment:**



Respiratory protective equipment (If applicable, see breathing equipment for more details)



Protective gloves (See Protection of Hands)



Safety glasses (See Eye protection)

- **General protective and hygienic measures:**

Avoid contact with the eyes and skin.

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Use suitable respiratory protective device when high concentrations are present.

If room is well-ventilated, a respirator is not needed under normal and intended conditions of product use.

- **Protection of hands:**

The glove material has to be impermeable and resistant to the product.

Protective Gloves

Check protective gloves prior to each use for their proper condition

- **Eye protection:**

Safety glasses are suggested when using this product in heavy use and institutional environments

Wear splash-proof chemical goggles in an industrial environment.

- **Body protection:**

Protective work clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. (recommended)

**9 Physical and chemical properties**

- |   |                      |
|---|----------------------|
| · <b>Form:</b>                          | Liquid               |
| · <b>Colour:</b>                        | Colourless to orange |
| · <b>Odour:</b>                         | Amine                |
| · <b>Odor threshold:</b>                | Not determined       |
| · <b>pH-Value:</b>                      | 10.7-11.7            |
| · <b>Melting point/Melting range:</b>   | Not determined       |
| · <b>Boiling point/Boiling range:</b>   | N/D                  |
| · <b>Fusion temperature / range:</b>    | Not determined       |
| · <b>Flash point:</b>                   | Not determined       |
| · <b>Flammability (solid, gaseous):</b> | Not applicable       |
| · <b>Ignition temperature:</b>          | N/D                  |
| · <b>Decomposition temperature:</b>     | Not determined       |

(Contd. on page 5)

**Product name: IMPACT Floor Stripper**

(Contd. of page 4)

- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
  - Lower:** N/D
  - Upper:** N/D
- **Vapour pressure:** N/D
- **Relative density:** 1.012-1.032
- **Vapour density (air=1):** <1 (aqueous solution)
- **Evaporation rate:** Not determined
- **Solubility in / Miscibility with Water:** Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined
- **Solvent content:**
  - VOC content:** N/D

**10 Stability and reactivity**

- **Reactivity:** Not determined.
- **Chemical stability:** The product is stable.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** Reacts with acids.
- **Conditions to avoid:** Avoid freezing and extreme heat conditions.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**  
In case of decomposition: carbon monoxide and carbon dioxide and traces of volatile halogenated compounds.

**11 Toxicological information**

- **Information on the likely routes of exposure**
- **Numerical measures of acute toxicity:**

Components Mean of exposure	Type	Value (Species)
<b>ATE (Acute Toxicity Estimates)</b>		
Oral	LD50	5058 mg/kg (Rat)
Dermal	LD50	4386 mg/kg (Rabbit)
Inhalative	LC50 (4 h)	72.2 mg/L
<b>34590-94-8 (2-methoxymethylethoxy)propanol</b>		
Oral	LD50	5230 mg/kg (Rat)
Dermal	LD50	>19000 mg/kg (rab)
<b>141-43-5 2-Aminoethanol</b>		
Oral	LD50	2050 mg/kg (Rat)
Dermal	LD50	1000 mg/kg (Rabbit)
Irritation of skin	OECD guideline 404	cat. 1 (Rabbit)
Irritation of eyes	OECD, guideline 405	cat. 1B (Rabbit)

(Contd. on page 6)

**Product name: IMPACT Floor Stripper**

(Contd. of page 5)

Sensitization	OECD, guideline 406	not classified (guinea pig)
<b>100-51-6 Benzyl Alcohol</b>		
Oral	LD50	1230 mg/kg (Rat)
Dermal	LD50	2000 mg/kg (Rabbit)
Inhalative	LC50 (4 h)	5000 mg/L (Rat)

- **Symptoms related to the physical, chemical and toxicological characteristics**
- **If on the skin:** CORROSIVE: Strong caustic effect on skin and mucous membranes.
- **If on the eye:**  
CORROSIVE: Strong caustic effect.  
Strong irritant with the danger of severe eye injury.
- **After ingestion:** May cause irritation of the gastrointestinal tract, nausea, vomiting and headache.
- **Sensitization:** No sensitizing effects known.
- **Delayed and immediate effects, and chronic effects from short-term and long-term exposure:**  
Prolonged or frequent contact can cause eczema and inflammation of the skins as a results of degreasing.
- **Carcinogenic categories:**

• <b>IARC (International Agency for Research on Cancer)</b>
None of the ingredients is listed.

• <b>NTP (National Toxicology Program)</b>
None of the ingredients is listed.

**12 Ecological information**

- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** Not determined
- **Ecotoxicity:** No relevant information available.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods recommendation:**  
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.  
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with local authority requirements.  
Dispose in accordance with all applicable federal, state, provincial and local laws and regulations. Contact your local, state, provincial or Federal environmental agency for specific rules.
- **Uncleaned packagings recommendation:**  
Do not re-use empty containers.  
Dispose of packaging according to regulations on the disposal of packagings.
- **Recommended cleansing agent:**  
Water  
Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

**14 Transport information**

- **UN-Number**
- **DOT, IMDG, IATA UN3267**
- **UN proper shipping name**
- **DOT+TDG** Corrosive liquid, basic, organic, n.o.s. (Ethanolamine, Sodium hydroxide)
- **IMDG, IATA** CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE, SODIUM HYDROXIDE)

(Contd. on page 7)

**Product name: IMPACT Floor Stripper**

(Contd. of page 6)

- Transport hazard class(es)
- DOT, IMDG, IATA
- Class 8 Corrosive substances
- Packing group
- DOT, IMDG, IATA III

**15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Canadian substance listings

· Canadian Domestic Substances List (DSL)
---

All ingredients are listed.
-----------------------------

· Canadian Ingredient Disclosure list (limit 0.1%)
--

None of the ingredients is listed.
------------------------------------

· Canadian Ingredient Disclosure list (limit 1%)
--

34590-94-8	(2-methoxymethylethoxy)propanol
------------	---------------------------------

141-43-5	2-Aminoethanol
----------	----------------

100-51-6	Benzyl Alcohol
----------	----------------

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

- **Department issuing SDS:**

Prepared by :

Regulatory Affairs Department

- **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent