

Version 1.0

Revision Date 04/06/2017

Print Date 09/28/2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

: ZEP METER MIST HERBAL SPA AERO DZ Material name

Material number : 342901C

Manufacturer or supplier's details

| Company | : | Zep Inc. |
|-----------|---|---|
| Address | : | 11627 - 178 Street Edmonton, Alberta T5S 1N6 Canada |
| Telephone | : | 404-352-1680 |

| Telephone | : | 404-35 |
|-----------|---|--------|
| | | |

| Emergency telephone nu | mbe | rs |
|-----------------------------------|-----|--|
| For SDS Information | : | Compliance Services 1-877-428-9937 |
| For a Medical Emergency | : | 877-541-2016 Toll Free - All Calls Recorded |
| For a Transportation Emergency | : | CHEMTREC: 800-424-9300 - All Calls Recorded. |

Recommended use of the chemical and restrictions on use

Recommended use : Air Care

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

| Appearance | Aerosol containing a liquefied gas | |
|------------|------------------------------------|--|
| Colour | colourless | |
| Odour | characteristic | |

GHS Classification

| Flammable aerosols Gases under pressure Eye irritation Skin sensitisation Specific target organ toxicity - single exposure | Category 1 Liquefied gas Category 2A Category 1 Category 3 (Central nervous system) |
|---|---|
| GHS label elements | |
| Hazard pictograms | |
| Signal word | : Danger |
| Hazard statements | : H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. |



| Version 1.0 | Revision Date 04/06/2017 | Print Date 09/28/2017 |
|--------------------------|--|---------------------------------|
| | H317 May cause an allergic skin | reaction. |
| | H319 Causes serious eye irritatio | |
| | H336 May cause drowsiness or c | |
| Precautionary statements | : Prevention: | |
| | P210 Keep away from heat, hot s and other ignition sources. No sn | |
| | P211 Do not spray on an open fla | |
| | P251 Do not pierce or burn, even | - |
| | P261 Avoid breathing dust/ fume/ | / gas/ mist/ vapours/ spray. |
| | P264 Wash skin thoroughly after | |
| | P271 Use only outdoors or in a w | |
| | P272 Contaminated work clothing the workplace. | g should not be allowed out of |
| | P280 Wear protective gloves/ eye | e protection/ face protection |
| | Response: | e protection, lace protection. |
| | P302 + P352 IF ON SKIN: Wash | with plenty of water. |
| | P304 + P340 + P312 IF INHALEE | D: Remove person to fresh air |
| | and keep comfortable for breathin | |
| | CENTER/doctor if you feel unwel | |
| | P305 + P351 + P338 IF IN EYES | |
| | for several minutes. Remove con easy to do. Continue rinsing. | itact lenses, if present and |
| | P333 + P313 If skin irritation or ra | ash occurs: Get medical |
| | advice/ attention. | |
| | P337 + P313 If eye irritation pers | ists: Get medical advice/ |
| | attention. | |
| | P362 + P364 Take off contamina | ted clothing and wash it before |
| | reuse. | |
| | Storage: | ht. Do not ovnogo to |
| | P410 + P412 Protect from sunlig temperatures exceeding 50 °C/ 1 | |
| | P403 Store in a well-ventilated pl | |
| | Disposal: | |
| | Dispose of contents/container in | accordance with local |
| | regulation. | |
| | | |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

| Chemical name | CAS-No. | Concentration [%] |
|--|-----------|-------------------|
| acetone | 67-64-1 | >= 70 - < 90 |
| propane | 74-98-6 | >= 20 - < 30 |
| alpha-[(1,1,3,3-Tetramethylbutyl)phenyl]-omega- hydroxypoly(oxy-1,2-ethanediyl) | 9036-19-5 | >= 1 - < 5 |
| benzyl salicylate | 118-58-1 | >= 0.1 - < 1 |

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.



| sion 1.0 | Revision Date 04/06/2017 | Print Date 09/28/2017 |
|---|---|---|
| | Do not leave the victim unat | tended. |
| If inhaled | : Consult a physician after sig If unconscious place in recov advice. | nificant exposure. very position and seek medical |
| In case of skin contact | : In case of contact, immediate of water. If skin irritation persists, call | ely flush skin with soap and plenty a physician. |
| In case of eye contact | : If easy to do, remove contact If eye irritation persists, cons If in eyes, rinse with water for | sult a specialist. |
| If swallowed | : Keep respiratory tract clear. Never give anything by mout If symptoms persist, call a pl DO NOT induce vomiting un physician or poison control of | less directed to do so by a |
| Most important symptoms and effects, both acute and delayed | Symptoms may include cent resulting in headache, nause | ation, redness, pain, and rash. tral nervous system depression, ea and/or dizziness. aposure (dose, concentration, n. zziness. |
| Notes to physician | : Treat symptomatically. Sym | antenna mari ka dalari ad |

SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media | ohol-resistant foam rbon dioxide (CO2) r chemical | |
|--------------------------------------|---|---|
| Unsuitable extinguishing media | h volume water jet | |
| Specific hazards during firefighting | not allow run-off from fire fighting urses. | to enter drains or water |
| Hazardous combustion products | rbon dioxide (CO2) rbon monoxide noke | |
| Specific extinguishing methods | e extinguishing measures that are cumstances and the surrounding e | •••• |
| Further information | lect contaminated fire extinguishin st not be discharged into drains. e residues and contaminated fire e disposed of in accordance with loo safety reasons in case of fire, car | extinguishing water must cal regulations. |



| Version 1.0 | Revision Date 04/06/2017 | Print Date 09/28/2017 |
|---|---|------------------------------|
| | separately in closed containment Use a water spray to cool fully clo | |
| Special protective equipment for firefighters | : Wear self-contained breathing ap necessary. | oparatus for firefighting if |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
|---|--|
| Environmental precautions | : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal. |

SECTION 7. HANDLING AND STORAGE

| Advice on safe handling | : | Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Always replace cap after use. |
|-----------------------------|---|---|
| Conditions for safe storage | : | BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. |



Version 1.0

Revision Date 04/06/2017

Print Date 09/28/2017

Materials to avoid

: Oxidizing agents Do not freeze.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------|---------|-------------------------------------|---|-----------|
| acetone | 67-64-1 | TWA | 500 ppm 1,200 mg/m3 | CA AB OEL |
| | | STEL | 750 ppm 1,800 mg/m3 | CA AB OEL |
| | | TWA | 250 ppm | CA BC OEL |
| | | STEL | 500 ppm | CA BC OEL |
| | | STEV | 1,000 ppm 2,380 mg/m3 | CA QC OEL |
| | | TWAEV | 500 ppm 1,190 mg/m3 | CA QC OEL |
| | | TWA | 250 ppm | ACGIH |
| | | STEL | 500 ppm | ACGIH |
| | | TWA | 250 ppm 590 mg/m3 | NIOSH REL |
| | | TWA | 1,000 ppm 2,400 mg/m3 | OSHA Z-1 |
| | | TWA | 750 ppm 1,800 mg/m3 | OSHA P0 |
| | | STEL | 1,000 ppm 2,400 mg/m3 | OSHA P0 |
| | | STEL | 750 ppm 1,780 mg/m3 | CAL PEL |
| | | С | 3,000 ppm | CAL PEL |
| | | PEL | 500 ppm 1,200 mg/m3 | CAL PEL |
| propane | 74-98-6 | TWA | 1,000 ppm | CA AB OEL |
| | | TWA | 1,000 ppm | CA BC OEL |
| | | TWAEV | 1,000 ppm 1,800 mg/m3 | CA QC OEL |
| | | TWA | 1,000 ppm | ACGIH |
| | | TWA | 1,000 ppm 1,800 mg/m3 | NIOSH REL |
| | | TWA | 1,000 ppm 1,800 mg/m3 | OSHA Z-1 |
| | | TWA | 1,000 ppm 1,800 mg/m3 | OSHA P0 |
| | | PEL | 1,000 ppm 1,800 mg/m3 | CAL PEL |

Biological occupational exposure limits

| Component | CAS-No. | Control | Biological | Sampling | Permissible | Basis |
|-------------|---------|------------|------------|-----------|---------------|-----------|
| | | parameters | specimen | time | concentration | |
| 2-PROPANONE | 67-64-1 | Acetone | Urine | End of | 25 mg/l | ACGIH BEI |
| | | | | shift (As | | |



| rsion 1.0 | Revision Date 04/06/2017 | Print Date 09/28/2017 |
|----------------------------|---|----------------------------|
| | | oon as ossible |
| | | after kposure eases) |
| Engineering measures | : effective ventilation in all process | sing areas |
| Personal protective equipm | ent | |
| Respiratory protection | : No personal respiratory protectiv required. | e equipment normally |
| Hand protection Remarks | : The suitability for a specific work with the producers of the protect | • |
| Eye protection | : Always wear eye protection when eye contact with the product can | |
| Skin and body protection | : No special protection is required. | |
| Hygiene measures | : When using do not eat or drink. When using do not smoke. | |

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : Aerosol containing a liquefied gas |
|---------------------------|--------------------------------------|
| Colour | : colourless |
| Odour | : characteristic |
| Odour Threshold | : No data available |
| рН | : Not applicable |
| Boiling point | : 55.6 °C |
| Flash point | : Not applicable |
| Evaporation rate | : <1 |
| Flammability (solid, gas) | : Extremely flammable aerosol. |
| Upper explosion limit | : Not applicable |
| Lower explosion limit | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density | : No data available |
| Density | : 0.75 g/cm3 |
| Solubility(ies) | |



| Version 1.0 | Revision Date 04/06/2017 | Print Date 09/28/2017 |
|--|--------------------------|-----------------------|
| Water solubility | : slightly soluble | |
| Partition coefficient: n- octanol/water | : No data available | |
| Auto-ignition temperature | : not determined | |
| Thermal decomposition | : No data available | |
| Viscosity | | |
| Viscosity, kinematic | : No data available | |
| Heat of combustion | : > 30 kJ/g | |
| | | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : Stable |
|------------------------------------|---|
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air. No decomposition if stored and applied as directed. |
| Conditions to avoid | : Heat, flames and sparks. Extremes of temperature and direct sunlight. |
| Incompatible materials | : Oxidizing agents |
| Hazardous decomposition products | : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). |

SECTION 11. TOXICOLOGICAL INFORMATION

| Potential Health Effects Aggravated Medical Condition | : None known. |
|---|--|
| Symptoms of Overexposure | : Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Effects are dependent on exposure (dose, concentration, contact time). |
| Carcinogenicity: | |
| IARC | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| ACGIH | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. |

Version 1.0

Revision Date 04/06/2017



Print Date 09/28/2017

| Acute toxicity | |
|--|--|
| Product: | |
| Acute oral toxicity | : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method |
| Components: | |
| acetone: Acute oral toxicity | : LD50 Rat: 5,800 mg/kg |
| Acute inhalation toxicity | : LC50 Rat: 132 mg/l Exposure time: 3 h |
| | LC50 Rat: 50.1 mg/l |
| Acute dermal toxicity | : LD50 Guinea pig: > 7,426 mg/kg |
| | LD50 Rabbit: > 7,426 mg/kg |
| propane: Acute inhalation toxicity | : LC50 Mouse: 1,237 mg/l Exposure time: 2 h |
| | LC50 Rat: 658 mg/l Exposure time: 4 h |
| | LC50 Rat: 1,355 mg/l |
| alpha-[(1,1,3,3-Tetramethylbu Acute oral toxicity | outyl)phenyl]-omega-hydroxypoly(oxy-1,2-ethanediyl): : LD50 Oral Rat: 4,190 mg/kg |
| Acute inhalation toxicity | : Remarks: No data available |
| Acute dermal toxicity | : Remarks: No data available |
| benzyl salicylate: Acute oral toxicity | : LD50 Oral Rat: 2,227 mg/kg |
| Skin corrosion/irritation | |

Product:

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product:



Version 1.0

Revision Date 04/06/2017

Remarks: Severe eye irritation

Respiratory or skin sensitisation

Product:

Remarks: Causes sensitisation.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

acetone: propane:

alpha-[(1,1,3,3-Tetramethylbutyl)phenyl]-omega-hydroxypoly(oxy-1,2-ethanediyl): benzyl salicylate:

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:
alpha-[(1,1,3,3-Tetramethylbutyl)phenyl]-omega-hydroxypoly(oxy-1,2-ethanediyl) :Toxicity to fish: 0.0005 mg/l

| Toxicity to daphnia and | : | Remarks: No data available |
|-----------------------------|---|----------------------------|
| other aquatic invertebrates | | |

Persistence and degradability



| ZEP WETER WIST HERDAL SPA AERU DZ | | | | |
|--|------------------------------|-----------------------|--|--|
| Version 1.0 | Revision Date 04/06/2017 | Print Date 09/28/2017 | | |
| No data available Bioaccumulative potential | | | | |
| Product: | | | | |
| Partition coefficient: n- octanol/water | : Remarks: No data available | | | |
| Mobility in soil | | | | |
| No data available | | | | |
| Other adverse effects | | | | |
| No data available <u>Product:</u> | | | | |
| Additional ecological information | : No data available | | | |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | |
|------------------------|--|
| Waste from residues | Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations. |
| Contaminated packaging | Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. |

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.



Version 1.0

Revision Date 04/06/2017

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

| TSCA | On TSCA Inventory | |
|------|--|---|
| DSL | All components of this product are on the Canadian DSI | - |

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

| WHMIS - GHS Label Information: | | |
|--------------------------------|---|--|
| Hazard pictograms | | |
| Signal w ord | : Danger: | |
| Hazard statements | : Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Causes serious eye irritation. May cause drow siness or dizziness. | |
| Precautionary statements | : Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Contaminated w ork clothing should not be allow ed out of the w orkplace. Wear protective gloves/ eye protection/face protection. Response: IF ON SKIN: Wash with plenty of w ater. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unw ell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and w ash it before reuse. Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place. | |

| Version: | 1.0 |
|----------------|------------|
| Revision Date: | 04/06/2017 |



Version 1.0

Revision Date 04/06/2017

Print Date 09/28/2017

Print Date: 09/28/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.