

Safety Data Sheet

Pro Laundry Whites Reclaim Powder

1. IDENTIFICATION

Product Identifier: Pro Laundry Whites Reclaim Powder

Canadian TDG: UN 1479

Synonyms: None

Chemical Family: Non known Recommended Use: Laundry Restrictions on Use: None

Manufacturer / Supplier:

Genesis Chemicals 602 – 13th St SE Medicine Hat, AB

T1A 1X3

Prepared by: The Environmental, Health and Safety Department of Genesis Chemicals Ltd

Preparation Date of SDS: March 20, 2018 Telephone number of preparer: 403-528-4220

24-Hour Emergency Telephone Number (CANUTEC): (613) 996-6666

2. HAZARDS IDENTIFICATION

GHS Classification

Oxidizing solid – Category 3; Acute toxicity (oral) – Category 4; Skin corrosion – Category 1A; Serious eye damage – Category 1; Specific target organ toxicity (single exposure) – Category 3 (respiratory system); Hazardous to aquatic environment – Category 1



Signal Word: Danger

Hazard Statements(s):
May intensify fire; oxidizer.
Harmful if swallowed.
Causes severe skin burns and eye damage.

Causes serious eye damage. May cause respiratory irritation. Very toxic to aquatic life.

Precautionary Statement(s):

Prevention:

Keep away from heat. Keep away from clothing and combustible materials.

Take any precautions to avoid mixing with combustibles.

Do not eat drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wash hands, face and any exposed skin thoroughly after handling.

Wear protective gloves, protective clothing, eye protection and face protection.

Do not breathe dust.

Avoid release to the environment.

Collect spillage.

Response:

In case of fire, use CO2, dry chemical, or foam for extinction.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.

Storage:

Store in a closed container.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards:

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No.	Concentration %
Sodium carbonate	497-19-8	30 - 60
Sodium tripolyphosphate	7758-29-4	10 – 30
Disodium metasilicate	6834-92-0	10 – 30
Sodium dichloroisocyanurate	2893-78-9	10 – 30
Alcohols, C9-11, ethoxylated	68439-46-3	<10

Notes

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

First-aid Measures

General

Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.

Inhalation

Move to fresh air. Keep at rest in a position comfortable for breathing. Call a Poison Centre or doctor if you feel unwell or are concerned.

Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. If skin irritation or a rash occurs, get medical advice/attention. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely.

Eve Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice/attention.

Ingestion

Immediately call a Poison Centre or doctor. Do not induce vomiting.

Most Important Symptoms and Effects, Acute and Delayed

Symptoms may include stinging. tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Immediate Medical Attention and Special Treatment

Special Instructions

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate or water spray.

Unsuitable Extinguishing Media

High volume water jet.

Specific Hazards Arising from the Chemical

Do not allow run-off from fire fighting to enter drains or water courses.

Special Protective Equipment and Precautions for Fire-fighters

Evacuate area. Approach fire from upwind to avoid hazardous vapours or gases. Stop leak before attempting to put out the fire. Before entry, especially into confined areas, use an appropriate monitor to check for: toxic gases or vapours, flammable or explosive atmosphere. Dike and recover contaminated water for appropriate disposal. Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn. If there is potential for skin contact with concentrated cleaner: chemical protective clothing (e.g. chemical splash suit) and positive pressure SCBA may be necessary. See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Scoop up or vacuum up and place in an appropriate closed container. Use vacuum suction with HEPA filters to clean up spilled material. Avoid raising dust. Flush area with water to remove trace residue.

Environmental Precautions

Concentrated product: do not allow into any sewer, on the ground or into any waterway. If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas.

Methods and Materials for Containment and Cleaning Up

Concentrated product: small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Do NOT use combustible materials such as sawdust. Place used absorbent into suitable, covered, labelled containers for disposal.

Concentrated product: large spills or leaks: cover the spill surface with the appropriate type of foam to reduce the release of vapour. Dike spilled product to prevent runoff. Remove or recover liquid using pumps or vacuum equipment. Dike and recover contaminated water for appropriate disposal. Store recovered product in suitable containers that are: tightly-covered.

Product (diluted as directed): no special clean-up methods are necessary.

Other Information

Report spills to local health, safety and environmental authorities, as required.

7. HANDLING AND STORAGE

Precautions for Safe Handling

When handling diluted product: no special handling precautions are necessary.

When handling concentrated product: only use where there is adequate ventilation. Avoid generating vapours or mists. Keep containers tightly closed when not in use or empty. Wear personal protective equipment to avoid direct contact with this chemical.

Do NOT smoke in work areas. Wash hands thoroughly after handling this material. Immediately remove contaminated clothing using the method that minimizes exposure. Keep contaminated clothing under water, in closed containers. Launder clothes before rewearing. Inform laundry personnel of product hazard(s). Do not take contaminated clothing home.

Conditions for Safe Storage

Concentrated product: store in an area that is: temperature-controlled, well-ventilated, out of direct sunlight and separate from incompatible materials (see Section 10: Stability and Reactivity). Store in a closed container. Protect from conditions listed in Conditions to Avoid in Section 10 (Stability and Reactivity). Keep amount in storage to a minimum. Comply with all applicable health and safety regulations, fire and building codes.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Occupational exposure limits

Ingredients	ACGIH® TLV®	OSHA PEL	IDLH
Sodium carbonate	-	15 mg/m3	-
Sodium tripolyphosphate	-	-	-
Disodium metasilicate	2 mg/m3	2 mg/m3	-
Sodium dichloroisocyanurate	-	-	-
Alcohols, C9-11, ethoxylated	-	-	-

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate Engineering Controls

General ventilation is usually adequate. Provide eyewash and safety shower if contact or splash hazard exists. When handling large quantities of concentrated product: use a local exhaust ventilation and enclosure, if necessary, to control amount in the air. Use non-sparking ventilation systems, approved explosion-proof equipment and intrinsically safe electrical systems in areas where this product is used and stored.

Individual Protection Measures

Eve/Face Protection

Do not get in eyes. Wear chemical safety goggles.

Skin Protection

Prevent all skin contact. Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: Barrier® (PE/PA/PE), Silver Shield/4H® (PE/EVAL/PE), Tychem® Responder, Tychem® TK.

The following materials should NOT be used: neoprene rubber, nitrile rubber, polyvinyl alcohol.

Respiratory Protection

Not normally required if product is used as directed.

Concentrated product: wear a NIOSH approved air-purifying respirator with an organic vapour cartridge. For non-routine or emergency situations: wear a NIOSH approved air-purifying respirator with an organic vapour

Cartridge, or, wear a NIOSH approved self-contained breathing apparatus (SCBA) or supplied air respirator. **Other Personal Protection Data:** Ensure that eyewash stations and safety showers are proximal to the work-station location.

9. CHEMICAL AND PHYSICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance White powder Odour Odorless Odour Threshold Not available

pH >12.5 (10% w/w solution)

Melting Point/Freezing Point Not applicable

Not applicable **Initial Boiling Point/Range** Not applicable **Flash Point Evaporation Rate** Not applicable Flammability (solid, gas) Not determined Upper/Lower Flammability or Not applicable **Explosive Limit** Not determined **Vapour Pressure** Not applicable Not available **Vapour Density (air = 1)** Relative Density (water = 1) Not available Solubility soluable Partition Coefficient, Not available

n-Octanol/Water (Log Kow)

Auto-ignition TemperatureNot availableDecomposition TemperatureNot availableViscosityNot applicableOther InformationNone available

Physical State: Solid

10. STABILITY AND REACTIVITY

Reactivity

Not reactive. Not sensitive to mechanical impact.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Hygroscopic (absorbs moisture from the air). Simultaneous exposure to soda ash and lime dusts (CaO). In the presence of moisture (i.e. perspiration) the two materials combine to form corrosive caustic soda (NaOH) which may cause burns.

Incompatible Materials

Acids. Soda Ash is corrosive to aluminum, lead, and zinc and zinc brasses when in solution and to aluminum when high humidity is present.

Hazardous Decomposition Products

Carbon dioxide. Decomposition temperature: 400°C / 752 °F.

Additional Information

Contact with acids will release carbon dioxide gas. Can react violently with red hot aluminum metal; fluorine gas; lithium; and 2,4,6-trinitrotoluene.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Chemical Name	LC50 (inhalation)	LD50 (oral)	LD50 (dermal)
Sodium carbonate	Rat = 2300 mg/m₃ 2 h	Rat = 4090 mg/kg	Mouse = 2210 mg/kg
Sodium tripolyphosphate	-	Rat = 3100 mg/kg	Rabbit > 7940 mg/kg
Disodium metasilicate	-	Rat = 1153 mg/kg Oral Mouse = 770 mg/kg	-
Sodium dichloroisocyanurate	-	Rat = 1671 mg/kg	Rat > 5000 mg/kg
Alcohols, C9-11, ethoxylated	-	Rat = 500 - 5000 mg/kg	Rabbit = 2000 - 20000 mg/kg

Information on toxicological effects

Acute toxicity

Harmful if swallowed.

Additional Information: Excessive contact may produce "soda ulcers" on hands and perforation of the nasal septum. Sensitivity reactions may occur from prolonged and repeated exposure.

Acute Test of Product:

Acute Oral LD50: Not Available.
Acute Dermal LD50: Not Available.
Acute Inhalation LC50: Not Available.

Skin Corrosion/Irritation

Cause skin irritation.

Serious Eye Damage/Irritation

Causes serious eye irritation.

STOT (Specific Target Organ Toxicity) - Single Exposure Inhalation

No data available.

Aspiration Hazard

No data available.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No data available.

Respiratory and/or Skin Sensitization

No data available.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive Toxicity

Development of Offspring

This product is not expected to cause developmental effects.

Sexual Function and Fertility

This product is not expected to cause reproductive effects.

Germ Cell Mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Interactive Effects

No information was located.

Chronic Effects

Prolonged inhalation may be harmful.

Additional Information:

No data.

12. ECOLOGICAL INFORMATION

Ecotoxicological Information:

Ingredients	Ecotoxicity - Fish Species	Acute Crustaceans	Ecotoxicity - Freshwater
	Data	Toxicity:	Algae Data
Sodium carbonate	310 - 1220 mg/L LC50		EC50 (Nitzschia) 242 mg/L
	(Pimephales promelas) 96 h		LC50 (Daphnia Magna) 347
	static	-	mg/L (24hr)
	300 mg/L LC50 (Lepomis		LC50 (Daphnia Magna) 565
	macrochirus) 96 h static		mg/L (96hr)
Sodium	LC50 (Leuciscus idus) 1650	-	-
tripolyphosphate	mg/L		
Disodium metasilicate	210 mg/L LC50 (Brachydanio	216 mg/L mg/l EC50	
	rerio) 96 h	Daphnia magna 96 h	-
Sodium	0.22 mg/l LC50 (Rainbow	0.2 mg/l EC50	
dichloroisocyanurate	Trout) 96 h	Daphnia magna 96 h	
	0.28 mg/l LC50 (Bluegill		
	Sunfish) 96 h		
Alcohols, C9-11,	5-10 mg/L LC50 96 h	5-10 mg/L EC50 48 h	10-100 mg/L EC50 72 h
ethoxylated	_	_	-

Other Information:

No additional remarks.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Recommended disposal methods are for the product, as sold. (Used material may contain other hazardous contaminants). The required hazard evaluation of the waste and compliance with the applicable hazardous waste laws

are the responsibility of the user.

Burn in an approved incinerator according to federal, provincial/state, and local regulations.

Empty containers retain product residue. Follow label warnings even if container appears to be empty. The container for this product can present explosion or fire hazards, even when emptied. Do not cut, puncture, or weld on or near this container.

14. TRANSPORT INFORMATION

DOT (U.S.):

DOT Shipping Name: Oxidizing solid, N.O.S (SODIUM DICHLOROISOCYANURATE)

DOT Hazardous Class: 5.1 (8) DOT UN Number: UN 1479 DOT Packing Group: II

DOT Reportable Quantity (Ibs): Not Available.

TDG (Canada):

TDG Shipping Name: Oxidizing solid, N.O.S (SODIUM DICHLOROISOCYANURATE)

Hazard Class: 5.1 (8) UN Number: UN 1479 Packing Group: II

Special Precautions for User

Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION

Canada

WHMIS Classification

D2B - Toxic materials

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All components of this product are either on the Domestic Substances List (DSL), the Non-Domestic Substances List (NDSL) or exempt.

Note: Not available.

CEPA - National Pollutant Release Inventory (NPRI)

16. OTHER INFORMATION

Additional Information: This product has been classified in accordance with the Globally Harmonized System of

Classification and Labeling of Chemicals (GHS) and the SDS contains all the information

required by the Hazardous Products Regulations (HPR).

Prepared by: The Environmental, Health and Safety Department of Genesis Chemicals Ltd

Date of Latest Revision: March 20, 2018

Key to Abbreviations: IARC = International Agency for Research on Cancer. Group 3 = Not classifiable as to its

carcinogenicity to humans. ACGIH® = American Conference of Governmental Industrial Hygienists. A4 = Not classifiable as a human carcinogen. NTP = National Toxicology Program. OSHA = US Occupational Safety and Health Administration. ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value. TWA = Time-Weighted Average. STEL = Short-term Exposure Limit. A4 = Not classifiable as a human carcinogen. OSHA = US Occupational Safety and Health

Administration. PEL = Permissible Exposure Limits. IDLH = Immediately Dangerous to Life

and Health.

Disclaimer: NOTICE TO READER:

Genesis Chemicals expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential

damages.

Do not use ingredient information and/or ingredient percentages in this SDS as a product specification. For product specification information refer to a Product Specification Sheet and/or a Certificate of Analysis. These can be obtained from your local Genesis Chemicals Sales Office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Genesis Chemicals makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Genesis Chemicals' control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.

END OF SDS