

## **ZEP VINEGAR 4-4L**

Version 1.0

Revision Date 12/14/2016

Print Date 10/03/2017

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name :	ZEP VINEGAR 4-4L
-----------------	------------------

Material number : 224854C

## Manufacturer or supplier's details

Company	:	Zep Inc.
Address	:	11627 - 178 Street Edmonton, Alberta T5S 1N6 Canada
Telephone	:	404-352-1680

Emergency telephone numbers			
For SDS Information	:	Compliance Services 1-877-428-9937	
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded	
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.	
Emergency			

## Recommended use of the chemical and restrictions on use

Recommended use : Cleaner

## SECTION 2. HAZARDS IDENTIFICATION

## **Emergency Overview**

Appearance	liquid
Colour	colourless
Odour	characteristic
GHS Classification	
Flammable liquids Skin corrosion Serious eye damage	: Category 3 : Category 1A : Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.
Precautionary statements	: <b>Prevention:</b> P210 Keep away from heat, hot surfaces, sparks, open flames



ZEP VINEGAR 4-4L		
Version 1.0	Revision Date 12/14/2016	Print Date 10/03/2017
	<ul> <li>and other ignition sources. No smo P233 Keep container tightly closed P240 Ground and bond container a P241 Use explosion-proof electrica equipment.</li> <li>P242 Use non-sparking tools.</li> <li>P243 Take action to prevent static P264 Wash skin thoroughly after ha P280 Wear protective gloves/ protection/ face protection.</li> <li><b>Response:</b></li> <li>P301 + P330 + P331 IF SWALLOW induce vomiting.</li> <li>P303 + P361 + P353 IF ON SKIN ( immediately all contaminated clothin P304 + P340 + P310 IF INHALED: and keep comfortable for breathing.</li> <li>POISON CENTER/doctor.</li> <li>P305 + P351 + P338 + P310 IF IN water for several minutes. Remove and easy to do. Continue rinsing. In CENTER/doctor.</li> <li>P363 Wash contaminated clothing P370 + P378 In case of fire: Use du alcohol-resistant foam to extinguish <b>Storage:</b></li> <li>P403 + P235 Store in a well-ventilat <b>Disposa1:</b></li> <li>Dispose of contents/container in a regulation.</li> </ul>	And receiving equipment. I/ ventilating/ lighting/ discharges. andling. Active clothing/ eye VED: Rinse mouth. Do NOT or hair): Take off ng. Rinse skin with water. Remove person to fresh air Immediately call a EYES: Rinse cautiously with contact lenses, if present nmediately call a POISON before reuse. y sand, dry chemical or ted place. Keep cool.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components


Chemical name	CAS-No.	Concentration [%]
acetic acid	64-19-7	>= 5 - < 10

## SECTION 4. FIRST AID MEASURES

General advice	<ul> <li>Move out of dangerous area. Consult a physician.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Do not leave the victim unattended.</li> </ul>	
If inhaled	<ul> <li>If unconscious place in recovery position and seek med advice.</li> <li>If symptoms persist, call a physician.</li> </ul>	ical
In case of skin contact	: Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.	



Version 1.0



In case of eye contact	<ul> <li>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.</li> <li>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>Continue rinsing eyes during transport to hospital.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Do NOT induce vomiting.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> <li>Take victim immediately to hospital.</li> </ul>
Most important symptoms and effects, both acute and delayed	: Symptoms may include blistering, irritation, burns, and pain. Causes severe skin burns and eye damage. Review section 2 of SDS to see all potential hazards.
Notes to physician	: Treat symptomatically. Symptoms may be delayed.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.



Version 1.0

Print Date 10/03/2017

ZepInc

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid formation of aerosol.</li> <li>Do not breathe vapours/dust.</li> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Take precautionary measures against static discharges.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Open drum carefully as content may be under pressure.</li> <li>To avoid spills during handling keep bottle on a metal tray.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>No smoking.</li> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Oxidizing agents

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components CAS-No. Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
--	---	-------



# **ZEP VINEGAR 4-4L**

ersion 1.0	Revision	Revision Date 12/14/2016		Print Date 10/03/2017	
acetic acid	64-19-7	TWA	10 ppm 25 mg/m3	CA AB OEL	
		STEL	15 ppm 37 mg/m3	CA AB OEL	
		TWA	10 ppm	CA BC OEL	
		STEL	15 ppm	CA BC OEL	
		TWAEV	10 ppm 25 mg/m3	CA QC OEI	
		STEV	15 ppm 37 mg/m3	CA QC OEI	
		TWA	10 ppm	ACGIH	
		STEL	15 ppm	ACGIH	
		ST	15 ppm 37 mg/m3	NIOSH REL	
		TWA	10 ppm 25 mg/m3	NIOSH REI	
		TWA	10 ppm 25 mg/m3	OSHA Z-1	
		TWA	10 ppm 25 mg/m3	OSHA P0	
		PEL	10 ppm 25 mg/m3	CAL PEL	
		STEL	15 ppm 37 mg/m3	CAL PEL	
		С	40 ppm	CAL PEL	

Engineering measures : effective ventilation in all processing areas

## Personal protective equipment

Respiratory protection	:	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Safety glasses Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke.



# ZEP VINEGAR 4-4L

Version 1.0

Revision Date 12/14/2016

Print Date 10/03/2017

Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colourless
Odour	: characteristic
Odour Threshold	: No data available
рН	: 2.0 - 2.5
Melting point/freezing point	: No data available
Boiling point	: 100 °C
Flash point	: 196.11 °C
Evaporation rate	: 1
Vapour pressure	: No data available
Density	: 1.008 g/cm3
Bulk density	: No data available
Solubility(ies)	
Water solubility	: soluble in cold water, soluble in hot water
Partition coefficient: n- octanol/water	: No data available
Viscosity	
Viscosity, kinematic	: No data available

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents

## SECTION 11. TOXICOLOGICAL INFORMATION

ZEP VINEGAR 4-4L Version 1.0	Revision Date 12/14/2016	Print Date 10/03/2017
Potential Health Effects		
Aggravated Medical Condition	: None known.	
Symptoms of Overexposure	: Symptoms may include blistering, in	ritation, burns, and pain.
Carcinogenicity: IARC	No component of this product present a equal to 0.1% is identified as probable, human carcinogen by IARC.	
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg Method: Calculation method	/kg
Components:		
acetic acid: Acute oral toxicity	: LD50 Oral Rat: 3,310 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Extremely corrosive	e and destructive to tissue.	
Serious eye damage/eye irritatio	on	
Product:		
Remarks: May cause irreversi	ble eye damage.	
Respiratory or skin sensitisation		
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
acetic acid:		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		

ZepInc

ZEP VINEGAR 4-4L

Version 1.0



Print Date 10/03/2017

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available Bioaccumulative potential

Product:	
Partition coefficient: n- octanol/water <u>Components:</u> acetic acid :	: Remarks: No data available
Partition coefficient: n- octanol/water	: log Pow: -0.17
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Additional ecological information	: No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):



## ZEP VINEGAR 4-4L

Version 1.0

Revision Date 12/14/2016

Print Date 10/03/2017

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

TSCAOn TSCA InventoryDSLAll components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

## SECTION 16. OTHER INFORMATION

WHMIS - GHS Label Information:

Hazard pictograms



Version 1.0	Revision Date 12/14/2016	Print Date 10/03/2017
Signal word Hazard statements	: <b>Danger:</b> : Flammable liquid and vapour. Causes severe skin burn	is and eye damage.
Precautionary statements :	<ul> <li>Prevention: Keep aw ay from heat, hot surfaces, spark sources. No smoking. Keep container tightly closed. Gr receiving equipment. Use explosion-proof electrical/ve Use non-sparking tools. Take action to prevent static di after handling. Wear protective gloves/ protective clothi protection.</li> <li>Response: IF SWALLOWED: Rinse mouth. Do NOT in</li> </ul>	ound and bond container and entilating/lighting/ equipment. scharges. Wash skin thoroughly ing/ eye protection/face
	hair): Take off immediately all contaminated clothing. Ri INHALED: Remove person to fresh air and keep comfo call a POISON CENTER/doctor. IF IN EYES: Rinse cau minutes. Remove contact lenses, if present and easy to Immediately call a POISON CENTER/doctor. Wash cor reuse. In case of fire: Use dry sand, dry chemical or alc extinguish.	inse skin w ith w ater. IF rtable for breathing. Immediately utiously w ith w ater for several o do. Continue rinsing. ntaminated clothing before
	<b>Storage :</b> Store in a w ell-ventilated place. Keep cool. <b>Disposal :</b> Dispose of contents/container in accordance	e with local regulation.

Zepinc

Version:	1.0
Revision Date:	12/14/2016
Print Date:	10/03/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.